

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	306	"340"/\$.ccls. and (diode near2 shunt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:36
L2	45	"340"/\$.ccls. and (diode adj shunt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:37
L3	4	"340"/\$.ccls. and ((diode adj shunt) near20 (charg\$4 or flow\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:38
L5	4665	((340/636.\$2) or (340/572.5) or (340/572.1) or (340/572.8) or (340/10.34) or (320/166) or (320/167) or (320/128)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 15:59
L6	69	L5 and (((double-layer) or (double near2 layer)) adj capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:13
L7	40	L5 and (((double-layer) or (double near2 layer)) adj capacitor) near20 charg\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:23
L8	1	I7 and ((time-constant adj resistor) or (time adj constant adj resistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:03
L9	1	I7 and (rectif\$4 same ((reader/writer) or (reader and writer) or (R/W) or (reader adj writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:04
L10	13	I7 and (ic or transponder or tag or rfid or (radio adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:15
L11	16	I7 and rectif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:06
L12	1	("6617963").PN. OR ("6950767").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/14 16:11
L13	15	I6 and (ic or transponder or tag or rfid or (radio adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:15
L14	3	("5635812"   "6242887"   "6297618").PN. OR ("6809502").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/14 16:30

L15	2	l14 and (((double-layer) or (double near2 layer)) adj capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:31
L16	1	"20040227002".pn. and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:33
L17	0	((first and seocnd) adj capacitor) and ((first and seocnd) adj diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:35
L18	2283	((first and second) adj capacitor) and ((first and second) adj diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:35
L19	1110	((first and second) adj capacitor) same ((first and second) adj diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:36
L20	28	l19 and (charg\$4 or discharg\$4) and "340"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:37
S1	2	("20040227002").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/06 16:58
S2	1	"340"/\$.ccls. and ((tag or transponder) and resonan\$4 and (rectif\$4 or rectificat\$4) and ((double near3 layer) near5 capacitor) and diode and resistor and charg\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:54
S3	249	"340"/\$.ccls. and ((tag or transponder) and resonan\$4 and (rectif\$4 or rectificat\$4) and battery and (coil or antenna))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:57
S4	36129	S3 and reader or writer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:55
S5	122	S3 and (reader or writer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:56
S6	11	S3 and (reader and writer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:56
S7	250	"340"/\$.ccls. and ((rfid or tag or transponder) and resonan\$4 and (rectif\$4 or rectificat\$4) and battery and (coil or antenna))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:58

S8	150	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and battery and (coil or antenna) and charg\$4 and discharg\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 20:00
S9	23	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and ((charg\$4 and discharg\$4) near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 20:02
S10	23	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and (charg\$4 near15 battery) and (discharg\$4 near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/21 21:51
S11	23	340/426.1.ccls. and recover\$4 and alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 09:29
S12	1348	"340"/\$.ccls. and ((rfid or tag or transponder) near20 (display or interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/21 21:47
S13	0	"340"/\$.ccls. and ((rfid or tag or transponder) near20 (electrophoretic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/21 21:48
S14	4	"340"/\$.ccls. and ((rfid or tag or transponder) near20 (electrophoretic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/21 21:48
S15	23	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and (charg\$4 near15 battery) and (discharg\$4 near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/21 21:51
S16	17	S15 and (read\$1 write\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/21 21:51
S17	17	S15 and (read\$2 write\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 10:02
S18	2	("5276435").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/22 09:35
S19	0	("1and(incentiveorreward\$4)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/22 09:35
S20	1	S18 and (incentive or reward\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 09:36

S21	23	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and (charg\$4 near15 battery) and (discharg\$4 near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 10:02
S22	2	S21 and (reader and writer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 10:04
S23	23	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and ((charg\$4 and discharg\$4) near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 10:05
S24	2	S23 and (reader and writer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 10:04
S25	2	"340"/\$.ccls. and ((rfid or tag or transponder or (radio near3 identification)) and (rectif\$4 or rectificat\$4) and (coil or antenna) and ((charg\$4 and discharg\$4) near15 battery)) and (reader and writer or (reader/writer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 10:06
S26	98	((("6154137") or ("6232870") or ("4537174") or ("4099509") or ("4802080") or ("5293308") or ("6121692") or ("6357418") or ("6697272") or ("6912137") or ("5721535") or ("5774062") or ("5898298") or ("6016018") or ("3895211") or ("4515140") or ("4549186") or ("4628324") or ("4853705") or ("5012236") or ("5235326") or ("5266926") or ("5457447") or ("5491482") or ("5502445") or ("5559507") or ("5889489") or ("6011958") or ("6037745") or ("6079622") or ("6098890") or ("6134130") or ("6172609") or ("6211786") or ("6211786") or ("6369712") or ("6412977") or ("6462647") or ("6543279") or ("5608380") or ("6368901") or ("5606740") or ("4272806") or ("6169373") or ("4246515") or ("4255782") or ("4345196") or ("4355263") or ("4623832") or ("4782242")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/07 09:38
S27	98	((("6154137") or ("6232870") or ("4537174") or ("4099509") or ("4802080") or ("5293308") or ("6121692") or ("6357418") or ("6697272") or ("6912137") or ("5721535") or ("5774062") or ("5898298") or ("6016018") or ("3895211") or ("4515140") or ("4549186") or ("4628324") or ("4853705") or ("5012236") or ("5235326") or ("5266926") or ("5457447") or ("5491482") or ("5502445") or ("5559507") or ("5889489") or ("6011958") or ("6037745") or ("6079622") or ("6098890") or ("6134130") or ("6172609") or ("6211786") or ("6211786") or ("6369712") or ("6412977") or ("6462647") or ("6543279") or ("5608380") or ("6368901") or ("5606740") or ("4272806") or ("6169373") or ("4246515") or ("4255782") or ("4345196") or ("4355263") or ("4623832") or ("4782242")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/07 09:40
S28	1	S27 and (rectif\$4 same (battery or cap)) and ((reader/writer) or (reader and writer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/07 09:41
S29	2	S27 and (rectif\$4 and (battery or cap)) and ((reader/writer) or (reader and writer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/07 09:43
S30	2	S27 and rectif\$4 and (battery or capacitor) and ((reader/writer) or (reader and writer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/07 09:44

S31	36	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and rectif\$4 and (battery or capacitor) and ((reader/writer) or (reader and writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/07 09:57
S32	18	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and (rectif\$4 and (battery or capacitor) same ((reader/writer) or (reader and writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/07 09:58
S33	16	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and (battery or capacitor) and (rectif\$4 same ((reader/writer) or (reader and writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/11 11:38
S34	16	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and (battery or capacitor) and (rectif\$4 same ((reader/writer) or (reader and writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 11:17
S35	1	S34 and (double near3 capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/11 11:39
S36	92	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and (double near3 capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 13:53
S37	2	("5796218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/11 12:27
S38	0	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and (time-constant adj resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/11 17:39
S39	1	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and (time-constant adj resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/11 17:40
S40	16	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and ((time-constant adj resistor) or (time adj constant adj resistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 11:15
S41	21	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and (battery or capacitor) and (rectif\$4 same ((reader/writer) or (reader and writer) or (R/W) or (reader adj writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 12:58
S42	29	("340"/\$.ccls. or "320"/\$.ccls.) and (battery or capacitor) and (rectif\$4 same ((reader/writer) or (reader and writer) or (R/W) or (reader adj writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 12:58
S43	106	("340"/\$.ccls. or "320"/\$.ccls.) and (battery or capacitor) and (rectif\$4 and ((reader/writer) or (reader and writer) or (R/W) or (reader adj writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 12:58

S44	44	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and (battery or capacitor) and (rectif\$4 and ((reader/writer) or (reader and writer) or (R/W) or (reader adj writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 12:58
S45	1	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and (paper-type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 13:54
S46	16	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128.ccls.) and ((paper-type) or (paper near2 type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 13:57
S47	4	("340"/\$.ccls. or "320"/\$.ccls.) and (((paper-type) or (paper near2 type)) near3 battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 13:57
S48	6	(340/572.5,636.1,572.1,572.8,10.34,636.\$2.ccls. or 320/166,167,128.ccls.) and ((time-constant adj resistor) or (time adj constant adj resistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 11:18
S49	4665	((340/636.\$2) or (340/572.5) or (340/572.1) or (340/572.8) or (340/10.34) or (320/166) or (320/167) or (320/128)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 11:18
S50	23	S49 and ((time-constant adj resistor) or (time adj constant adj resistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 15:58
S51	21	S49 and ((time-constant adj resistor) or (time adj constant adj resistor)) and diode and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:02